RESEARCHES ON POPULATION ECOLOGY

Volume 18

1976–1977

PUBLISHED BY
THE SOCIETY OF POPULATION ECOLOGY

c/o Japan Academic Societies Center
Yayoi 2-4-16, Bunkyo-ku, Tokyo 113, Japan

CONTENTS

INOUE, T. and R. OHGUSHI: A simulation model of the arrowhead scale population on a citrus tree in relation to control programmes (I) ····89

INOUE, T. and R. OHGUSHI: A simulation model of the arrowhead scale population on a citrus tree in relation to control programmes (II): Dispersal of the scale and the amount of petroleum oil····302

IWAO, S.: Analysis of spatial association between two species based on the interspecies mean crowding ····243

KAWAI, A.: Analysis of the aggregation behavior in the larvae of *Harmonia axyridis* PALLAS (Coleoptera: Coccinellidae) to prey colony····123

KIPPS, P. L. and C. R. TERMAN: The influence of pheromones produced by freely growing laboratory populations on the reproductive maturation of prairie deermice following prenatal and postnatal exposure ····261

KUNO, E.: Multi-stage sampling for population estimation ···· 39

KUNO, E.: A sequential estimation technique for capture-recapture censuses····187

LIDICKER, W. Z., Jr.: Experimental manipulation of the timing of reproduction in the California vole ····14

MACKAY, P. A. and W. G. WELLINGTON: Maternal age as a source of variation in the ability of an aphid to produce dispersing forms ····195

MANLY, B. F. J.: The estimation of a bivariate fitness function from two samples taken from a population···· 89

MANLY, B. F. J.: A further note on KIRITANI and NAKASUJI's model for stage-frequency data including comments on the use of TUKEY's jackknife technique for estimating variances ····177

MAYYASI, A. M., P. E. PULLEY, R. N. COULSON, D. W. DEMICHELE and J. L. FOLTZ: Mathematical description of within-tree distributions of the various developmental stages of *Dendroctonus frontalis* ZIMM. (Coleoptera: Scolytidae) ····135

MURAI, M.: Population studies of *Cavelerius saccharivorus* OKAJIMA (Heteroptera: Lygaeidae): Adult dispersal in relation to the density ····147

SHIGA, M.: Population dynamics of *Malacosoma neustria testacea* (Lepidoptera: Lasiocampidae): Stabilizing process in a field population····284

SHIYOMI, M., K. NAKAMURA and M. UEMURA: A rapid estimation of animal population density on the assumption of negative binomial distribution····28

STAPLES, P. P. and C. R. TERMAN: An experimental study of movement in natural populations of *Mus musculus*, *Microtus pennsylvanicus* and *Microtus pinetorum*····267

STINNER, R. E.: Ovipositional response of *Venturia canescens* (GRAV.) (Hymenoptera: Ichneumonidae) to various host and parasite densities ···· 57

STINNER, R. E. and H. L. LUCAS, Jr.: Effects of contagious distributions of parasitoid eggs per host and of sampling vagaries on NICHOLSON's area of discovery···· 74

TAKAFUJI, A.: The effect of the rate of successful dispersal of a Phytoseiid mite, *Phytoseiulus persimilis* ATHIAS-HENRIOT (Acarina: Phytoseiidae) on the persistence in the interactive system between the predator and its prey ····210

TAKAHASHI, F.: Generation carryover of a fraction of population members as an animal adaptation to unstable environmental conditions 235
THOMPSON, W. A., P. J. CAMERON, W. G. WELLINGTON and I. B. VERTINSKY: Degrees of heterogeneity and the survival of an insect population 1
THOMPSON, W. A., W. G. WELLINGTON, I. B. VERTINSKY and E. M. MATSUMURA: Harvesting strategies, control styles and information levels: A study of planned disturbances to a population 160
VIAL, J. L., T. L. BERGER and W. T. MCWILLIAMS, Jr.: Quantitative demography of copperheads, *Agkistrodon contortrix* (Serpentes: Viperidae) 223
WOLFENBARGER, D. O., H. H. SAMOL and D. H. HABECK: Dispersal distances of the Caribbean fruit fly, corn planthopper and Cuban May beetle 118